

4


3

2

1

RoHS REACH compliant

| REVISION DATA |     |             |          |       |
|---------------|-----|-------------|----------|-------|
| SYM           | REV | DESCRIPTION | DATE     | APPR. |
|               | 00  | new part    | 30.03.17 | MR    |
|               |     |             |          |       |
|               |     |             |          |       |
|               |     |             |          |       |



Technical Spezifications

- Insulator: Black glass filled polyester PPS+GF30
- Flammability: UL 94V-0
- Sleeve: Brass CuZn36Pb3(C36000)
- Contact Clip (4 finger): Beryllium copper (C17200)
- Mating Pin  $\phi$ : 0.40 to 0.66mm or 0.50SQ
- Forces: (polished steel gauge  $\phi$  0.46mm)
- Insertion: 0.7 N typ.
- Withdrawal: 0.4 N typ.
- Mechanical Life: Min. 500 cycles
- Rated Current: 3 A
- Contact Resistance: Max. 10m $\Omega$
- Dielectric Steength: Min. 1000V<sub>RMS</sub>

order information

|                  |                    |                     |                |                  |    |
|------------------|--------------------|---------------------|----------------|------------------|----|
| BP200105         | xx                 | xx                  | xx             | xx               | xx |
| No. of Positions | Pin Plating Option | Clip Plating Option | Packaging      | Special Customer |    |
| 02~40            | 100= tin           | 01= gold flash      | C= tube        |                  |    |
|                  | xx= on request     | xx= on request      | xx= on request |                  |    |



|          |                     |            |   |       |    |
|----------|---------------------|------------|---|-------|----|
|          | <b>BRCONNECTORS</b> |            | <b>Single Row Precision Female Header Straight Type</b> |       |    |
|          | PROJECTON           |            |   |       |    |
|          | DATE                | 30.03.2017 | Customer Drawing-No.:                                   |       |    |
|          | DRAWN               | MR         | Drawing-No.: 2160950                                    |       |    |
|          | CHECKED             | BR         |   |       |    |
| APPROVED | BR                  | UNIT:      | SCALE:  | SIZE: | A4 |

Diese Zeichnung ist ausdrücklich Eigentum der BR-connectors GmbH. Ohne vorherige Zustimmung seitens der BR-connectors GmbH darf diese nicht vervielfältigt, noch an Dritte zugänglich gemacht werden. Wir behalten uns alle Rechte vor, auch im Falle einer Patentierung nach Gebrauchsmusterprüfung.